

|   | Type | Hits | Search Text  | DBs                    |
|---|------|------|--|------------------------|
| 1 | IS&R | 69   | (("6,582,103") or ("6,676,284") or ("4,111,520") or ("4,298,869") or ("4,422,719") or ("4,376,946") or ("4,597,033") or ("4,607,317") or ("4,767,172") or ("4,785,567") or ("4,891,896") or ("4,976,057") or ("4,996,632") or ("5,057,981") or ("5,140,220") or ("5,151,679") or ("5,201,020") or ("5,219,217") or ("5,301,090") or ("5,303,133") or ("5,365,411") or ("5,375,043") or ("5,410,453") or ("5,416,679") or ("5,459,955") or ("5,475,786") or ("5,497,440") or ("5,526,236") or ("5,537,297") or ("5,581,683") or ("5,588,236") or ("5,613,751") or ("5,618,096") or ("5,640,792") or ("5,694,513") or ("5,818,998") or ("5,842,297") or ("5,852,514") or ("5,876,107") or ("5,879,076") or ("5,887,968") or ("5,921,652") or ("5,931,570") or ("5,934,792") or ("5,941,626") or ("5,950,340") or ("5,964,518") or ("5,996,263") or ("6,023,869") or ("6,042,248") or ("6,075,652") or ("6,076,294") or ("6,079,838") or ("6,095,673") or ("6,123,442") or ("6,146,006") or ("6,158,882") or ("6,186,645") or ("6,193,385") or ("6,204,899") or ("6,217,184") or ("6,275,338") or ("6,283,612") or ("6,297,906") or ("6,297,908") or ("6,354,714") or ("6,361,186") or ("6,366,727") or ("6,394,623") or ("6,406,158") or ("6,447,133") or ("6,592,238")).PN. | USPAT                  |
| 2 | BRS  | 54   | ("4111520"   "4298869"   "4376946"   "4597033"   "4607317"   "4767172"   "4785567"   "4891896"   "4976057"   "4996632"   "5057981"   "5151679"   "5201020"   "5219217"   "5301090"   "5303133"   "5365411"   "5375043"   "5410453"   "5416679"   "5459955"   "5475786"   "5497440"   "5526236"   "5537297"   "5588236"   "5613751"   "5618096"   "5640792"   "5694513"   "5842297"   "5876107"   "5879076"   "5887968"   "5921652"   "5934792"   "5950340"   "5964518"   "5996263"   "6023869"   "6042248"   "6076294"   "6079838"   "6095673"   "6123442"   "6146006"   "6158882"   "6186645"   "6193385"   "6204899"   "6283612"   "6354714"   "6361186"   "6394623").PN.  | US-PGPUB; USPAT; USOCR |
| 3 | BRS  | 1    | ("6592238").URPN.  | USPAT                  |
| 4 | BRS  | 9    | ("3949350"   "4267489"   "5128843"   "5420482"   "5559681"   "5570525"   "5613763"   "6211626"   "6361186").PN.  | US-PGPUB; USPAT; USOCR |
| 5 | BRS  | 1    | ("6676284").URPN.  | USPAT                  |

|    | Type | Hits   | Search Text   | DBs  |
|----|------|--------|---|--|
| 6  | BRS  | 60     | ("3821590"   "4045665"   "4107767"   "4267489"<br>"4271458"   "4335421"   "4376966"   "4418378"<br>"4471412"   "4544996"   "4628421"   "4665470"<br>"4791540"   "4835661"   "4884178"   "4908743"<br>"4954931"   "4989122"   "4994944"   "4999755"<br>"5020252"   "5027262"   "5034864"   "5034866"<br>"5122940"   "5143433"   "5186537"   "5195818"<br>"5207495"   "5222799"   "5224770"   "5272601"<br>"5309335"   "5337225"   "5373428"   "5381309"<br>"5386357"   "5430627"   "5438495"   "5493481"<br>"5504545"   "5523930"   "5537302"   "5570525"<br>"5575459"   "5669700"   "5685633"   "5688042"<br>"5726706"   "5746503"   "5826973"   "5848837"<br>"5883684"   "5897201"   "5915830"   "5918962"<br>"5934792"   "6007225"   "D311588").PN. | US-PGPUB; USPAT; USOCR                         |
| 7  | BRS  | 2      | ("6582103").URPN.   | USPAT  |
| 8  | BRS  | 15     | ("3931887"   "4020337"   "4107767"   "4521839"<br>"4607317"   "4665470"   "4812956"   "4885664"<br>"5057981"   "5074251"   "5882742"   "5934792"<br>"5941626"   "5964518"   "6076938").PN.  | US-PGPUB; USPAT; USOCR                         |
| 9  | IS&R | 0      | ("(elongat\$4orropesorstrip)(lamporlight)").PN.   | USPAT  |
| 10 | BRS  | 10173  | (elongat\$4 or rope or strip) (lamp or light)   | US-PGPUB; USPAT; EPO; JPO;<br>DERWENT; IBM_TDB |
| 11 | BRS  | 107    | flex\$5 ((elongat\$4 or rope or strip) (lamp or<br>light))  | US-PGPUB; USPAT; EPO; JPO;<br>DERWENT; IBM_TDB |
| 12 | BRS  | 488219 | (light emit\$6 diod\$4) or "LED"  | US-PGPUB; USPAT; EPO; JPO;<br>DERWENT; IBM_TDB |
| 13 | BRS  | 734    | S12 and (flexib\$5 circuit board)   | US-PGPUB; USPAT; EPO; JPO;<br>DERWENT; IBM_TDB |
| 14 | BRS  | 13607  | 362/217,495,540,544,545,555,103-<br>106,108,152,189,198,218,219,222-<br>225,227,235,236,240,246,278,310,311,326,329,<br>800,806,812.ccls.   | US-PGPUB; USPAT; EPO; JPO;<br>DERWENT; IBM_TDB |
| 15 | BRS  | 27     | S13 and S15   | US-PGPUB; USPAT; EPO; JPO;<br>DERWENT; IBM_TDB |
| 16 | BRS  | 779    | S14 and S10   | US-PGPUB; USPAT; EPO; JPO;<br>DERWENT; IBM_TDB |
| 17 | BRS  | 5      | cleaver-mark-joseph.in.   | US-PGPUB; USPAT; EPO; JPO;<br>DERWENT; IBM_TDB |
| 18 | BRS  | 5      | "413005".ap.  | US-PGPUB; USPAT; EPO; JPO;<br>DERWENT; IBM_TDB |
| 19 | BRS  | 19     | ("3497981"   "4195907"   "4422719"   "4733332"<br>"4750798"   "4977487"   "4996632"   "5027259"<br>"5339382"   "5416608"   "5537297"   "5542017"<br>"5606634"   "5615090"   "5662403"   "5710856"<br>"5799124"   "5806263").PN.   | US-PGPUB; USPAT; USOCR                         |
| 20 | BRS  | 12     | ("6123442").URPN.   | USPAT  |
| 21 | BRS  | 24     | rod like light guide  | US-PGPUB; USPAT; EPO; JPO;<br>DERWENT; IBM_TDB |

|    | Type | Hits   | Search Text  | DBs   |
|----|------|--------|--|---|
| 22 | BRS  | 10173  | (elongat\$4 or rope or strip) (lamp or light)  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 23 | BRS  | 17     | S22 and (collection (plate or plane or surface))   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 24 | BRS  | 12     | ("6123442").URPN.  | USPAT                                       |
| 25 | BRS  | 488219 | (light emit\$6 diod\$4) or "LED"   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 26 | BRS  | 28     | S25 with embed\$5 with (rod)   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 27 | BRS  | 2324   | (S25 with embed\$5)  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 28 | BRS  | 0      | S27 and (collection (plate or plane or surface))   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 29 | IS&R | 8      | ((("6,676,284") or ("6,366,727") or ("6,361,186") or ("6,193,385") or ("5,964,981") or ("6,146,006") or ("5,057,981") or ("4,607,317"))).PN. | USPAT                                       |
| 30 | BRS  | 75064  | (light or wave) guide  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 31 | BRS  | 1      | S29 and (polyurethane or silicone or silicone rubber)  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 32 | BRS  | 57     | (light transmit\$5 (material or rod or fiber)) with (polyurethane or silicone or silicone rubber)  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 33 | BRS  | 488539 | (light emit\$6 diod\$4) or "LED"   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 34 | BRS  | 2324   | S44 with embed\$5  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 35 | BRS  | 110    | rod like light source  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 36 | BRS  | 350    | (rod like) with (light source)   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 37 | BRS  | 0      | S45 and S47  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 38 | BRS  | 205    | S30 and S45  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 39 | IS&R | 1      | ("6517219").PN.  | USPAT                                       |
| 40 | BRS  | 4      | ("4984142"   "5667295"   "6217194"   "6244726").PN.  | US-PGPUB; USPAT; USOCR                      |
| 41 | BRS  | 1      | ("6517219").URPN.  | USPAT                                       |
| 42 | BRS  | 23389  | (wave guide)   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 43 | BRS  | 53176  | light guide  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 44 | BRS  | 173    | (wave guide) (plate or rod substrate)  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 45 | BRS  | 8593   | (light guide) (plate or rod substrate)   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 46 | BRS  | 53335  | S54 or S55 or S56  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 47 | BRS  | 2401   | S57 and (polyurethane or silicone or silicone rubber)  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 48 | BRS  | 166    | S57 and (polyurethane or silicone or silicone rubber) and (air (bubbles or voids or balloons))   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |

|    | Type | Hits   | Search Text   | DBs  |
|----|------|--------|---|--|
| 49 | BRS  | 536    | S57 and (air (bubbles or voids or balloons))  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB        |
| 50 | BRS  | 1772   | rod with ((wave guide) or (light guide))  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB        |
| 51 | BRS  | 536    | S57 and (air (bubbles or voids or balloons))  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB        |
| 52 | BRS  | 523    | S57 and (air (bubbles or voids))  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB        |
| 53 | BRS  | 209    | S57 and (air (bubbles or voids)) and flexi\$5   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB        |
| 54 | BRS  | 19     | S57 and (air (bubbles or voids)) and flexi\$5 and (silicone rubber)   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB        |
| 55 | BRS  | 51     | S57 and (air (bubbles or voids)) and flexi\$5 and silicone  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB        |
| 56 | IS&R | 1      | ("4195907").PN.   | USPAT  |
| 57 | BRS  | 8      | ("2815607"   "3516239"   "3535018"   "3653739"   "3767910").PN.   | US-PGPUB; USPAT; USOCR                             |
| 58 | BRS  | 33     | ("4195907").URPN.   | USPAT  |
| 59 | BRS  | 0      | JP-61165583.did.  | JPO; DERWENT                                       |
| 60 | BRS  | 0      | JP-0086165583.did.  | JPO; DERWENT                                       |
| 61 | BRS  | 0      | JP-00165583.did.  | JPO; DERWENT                                       |
| 62 | BRS  | 0      | JP-00165583 A.did.  | JPO; DERWENT                                       |
| 63 | BRS  | 2      | JP-2000307152-\$.DID.   | JPO; DERWENT                                       |
| 64 | BRS  | 5833   | flexible circuit board  | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 65 | BRS  | 501628 | (light emit\$6 diod\$4) or "LED"  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB        |
| 66 | BRS  | 2166   | bar with like with light  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB        |
| 67 | BRS  | 1      | S75 and S76 and S77   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB        |
| 68 | BRS  | 751    | S75 and S76   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB        |
| 69 | BRS  | 240    | S79 and elongat\$6  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB        |
| 70 | BRS  | 201    | S80 and @ad < "20030403"  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB        |
| 71 | IS&R | 1      | ("5537297").PN.   | USPAT  |
| 72 | BRS  | 13943  | 362/217,495,540,544,545,555,103-106,108,133,134,152,189,198,218,219,222-225,227,235,236,240,246,278,310,311,326,329,800,806,812.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB        |
| 73 | BRS  | 10363  | (elongat\$4 or rope or strip) (lamp or light)   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB        |
| 74 | BRS  | 803    | S83 and S84   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB        |
| 75 | BRS  | 300    | S83 and S84 and flexible  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB        |
| 76 | BRS  | 501628 | (light emit\$6 diod\$4) or "LED"  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB        |
| 77 | BRS  | 155    | S86 and S87   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB        |

|    |     |     |                          |  |
|----|-----|-----|--------------------------|--|
| 78 | BRS | 135 | S88 and @ad < "20030204" | US-PGPUB; USPAT; EPO; JPO;<br>DERWENT; IBM_TDB |
|----|-----|-----|--------------------------|--|